

# PEDIATRIC ADMISSION (WITH CONSCIOUS SEDATION)

## STANDARD SET UP SUPPLIES:

- 1) Patient armband and stickers
- 2) BP cuff
- 3) O2 sat probe
- 4) Thermometer
- 5) Stethoscope
- 6) EKG red dots and cables
- 7) Camera
- 8) IV pole, pump, and arm board
- 9) Pediatric ambu bag
- 10) Patient Weight
- 11) Suction set up and yankauer
- 12) 14 french suction catheter

## MEDICATIONS:

- 1) Morphine (0.1mg/kg)
- 2) Versed (0.1mg/kg)
- 3) Ketamine (1mg-4mg/kg) (MD must administer\*)

Note: ask the MD which medications he/she would like, how much, and if they should be given NOW or for conscious sedation procedure\*

## DOCUMENTATION FOR CONSCIOUS SEDATION:

- 1) Consent for procedure signed by parents (make sure the physician explains the procedure first\*) (location: file cabinet)
- 2) "Physician documentation for procedural sedation" (to be completed by physician\*) (location: file cabinet)
- 3) "Procedural Sedation by a Non-Anesthesiologist Flowsheet" (location: file cabinet)
- 4) Time out in AdHoc
- 5) Vitals Q5 minutes

## DRESSING SUPPLIES:

- 1) Suprathel/Xenograft /Mepitel Ag/KerraContact(Directly after take down, ask which the MD requires\*)
  - a) Cuticerin and polysporin
- 2) Sterile tub pack
- 3) Metal basin pack
- 4) Sterile gloves (ask MD which size they require\*)
- 5) Scissors
- 6) X2 chloraprep pads
- 7) X2 bottles saline
- 8) 1/20th Dakins (for xenograft only)
- 9) 4X4s
- 10) kerlix/conform/bias/etc.

## CONSCIOUS SEDATION SUPPLIES:

- 13) Pediatric O2 mask
- 14) Pediatric code cart
- 15) ETCO2 monitor and tubing
- 16) Copy of pediatric med amounts from the "Resuscitation and Emergency Infusion" book
- 17) 3 way stopcock (on pediatric cart, for emergency drugs)

## REVERSAL AGENTS

- 1) Narcan (opioid reversal) ~~(0.1mg/kg)~~ 0.01mg/kg
- 2) Romazicon (benzo reversal) (0.01mg/kg)
- 3) Ketamine has no reversal agent

\* Physician required